

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

1/2
 Log No. 4722
 Recd. July 27 1959
 Well No. _____
 Permit No. _____
 Do not fill in
 unless Lake V.

Owner M.K. Hudlow Driller A & B CONTRACTORS

Address P.O. Box 952, Sparks, Nev. Address Sun Valley, Nev. Lic. No. 287

Location of well: NE 1/4 NE 1/4 Sec. 16, T 23 N/S, R 21 E, in Washoe County
 or Nevada Dominion Mines 077-380-17

Water will be used for milling Total depth of well 253'

Size of drilled hole 6" Weight of casing per linear foot 12 lbs.

Thickness of casing 188 Temp. of water cold

Diameter and length of casing 6 5/8" X 199'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 50'

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well May 6, 1959 Date of completion of well May 12, 1959

Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	20	20	Sandy fill	
20	45	25	decomposed granite	Chief aquifer (water-bearing formation)
45	65	20	black andacite	from <u>187</u> to <u>195</u> ft.
65	105	40	brown sand	Other aquifers <u>105 to 120</u>
105	120	15	broken rock	and <u>45 to 65</u>
120	187	67	grey volcanic rock	
187	195	8	broken rock	
195	253	58	grey andacite	First water at <u>45</u> feet.
				Casing perforated
				from <u>139</u> to <u>199</u> ft.
				Size of perforations
				<u>1/4" X 4"</u>



WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

2/2
Log No. 4722
Rec. July 27 1959
Well No. _____
Permit No. _____
Do not fill in

Owner M. K. Hudlow Driller A. & B. Contractors

Address P.O. Box 925, Sparks, Nevada Address Sun Valley, Nev. Lic. No. 287

Location of well: NE 1/4 NE 1/4 Sec 16, T 23 N 6, R 21 E, in Washoe County
or Nevada Dominion Mines

Water will be used for Milling Total depth of well 308'

Size of drilled hole 6" Weight of casing per linear foot 12 lbs

Thickness of casing 188 ga. Temp. of water cold

Diameter and length of casing 6-5/8" X 291'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 35'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well June 20, '59 Date of completion of well July 18, 1959

Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
253	308	55	gray andacite	<p>Chief aquifer (water-bearing formation)</p> <p>from <u>187</u> to <u>195</u> ft. 105 to 120</p> <p>Other aquifers _____ and <u>45 to 65</u></p> <p style="text-align: center;">45</p> <p>First water at <u>339</u> feet.</p> <p style="text-align: center;">Casing perforated</p> <p>from _____ to _____ ft.</p> <p style="text-align: center;">Size of perforations</p> <p style="text-align: center;"><u>1/4</u> X <u>4"</u></p>



