

APN 039 - 290 - 14 - FROM REACTOR TOWER

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 4726
 Recd. July 27 1959
 Well No. _____
 Permit No. _____
 Do not fill in OWNER'S NAME. 8/22/88 TRG

Owner Garth C. Hill Driller A. & B. Contractors

Address Rte #2 Box 608, Reno, Nev. Address Sun Valley, Nev Lic. No. 208

Location of well: SW 1/4 SE 18 Sec. 18, T. 19 N/S, R. 19 E, in Washoe County

Water will be used for domestic Total depth of well 85'

Size of drilled hole ~~6 1/2~~ 6" Weight of casing per linear foot 12 lbs

Thickness of casing 188 ga. Temp. of water cold

Diameter and length of casing 6-5/8 X 85' 98'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. _____

If nonflowing well give depth of standing water from surface. _____

If flowing well describe control works. _____
 (Type and size of valve, etc.)

Date of commencement of well June 3 Date of completion of well June 5, 1959

Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	21	21	boulders, sand, & water	
21	60	39	brown clay	Chief aquifer (water-bearing formation)
60	71	11	gray clay	from <u>71</u> to <u>95</u> ft.
71	95	24	sandy clay & water	Other aquifers <u>6 to 21'</u>
				6
				First water at _____ feet.
				Casing perforated
				from <u>75</u> to <u>95</u> ft.
				Size of perforations
				<u>1/8 X 6"</u>



