

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 4791  
 Rec. Sept 4 1959  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
 Do not fill in 101

Owner 20. Dickman Driller E. J. Thomas

Address Fallon Nev Address Fallon Nev Lic. No. 187

Location of well:  $\frac{1}{4}$   $\frac{1}{4}$  Sec 23, T19N/S, R28E, in Churchill County  
 or Lot 1 block Vista Sub. PT 12

Water will be used for Domestic Total depth of well 36 ft

Size of drilled hole 8" Weight of casing per linear foot 12 ga

Thickness of casing 12 ga Temp. of water \_\_\_\_\_

Diameter and length of casing 8" - 36 ft  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 9 ft

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well Aug 1, 59 Date of completion of well Aug 3, 59

Type of well rig Standard

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
		16 ft	top soil
		9 ft	sand & clay
		4 ft	clay
		13 ft	water gravel

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from \_\_\_\_\_ to \_\_\_\_\_ ft.

Other aquifers \_\_\_\_\_

---

First water at 11 feet.

Casing perforated  
 from 24 to 36 ft.

Size of perforations  
3/2

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

---



---



---



---



---



---

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed E. J. Thomas  
Well Driller

By.....

License No. 184

Dated Aug 4, 1959

(Not to be filled in by Driller)

---



---



---



---



---



---



---



---



---



---

1959 SEP 4 AM 9 25  
OFFICE ENGINEER