

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 4876
 Rec. Oct 12 1959
 Well No.
 Permit No.

Do not fill in

Owner.....Wilfred Broussard..... Driller.....J. N. Pitcher Company.....
 Address.....2190 Prater Way Sparks..... Address.....190 Moana Lane Reno..... Lic. No.4507.....
 Location of well: SW 1/4 NW 1/4 Sec. 26, T. 20 N/S, R. 12 E, in.....Washoe..... County
 or.....
 Water will be used for.....Domestic..... Total depth of well.....63'
 Size of drilled hole.....6"..... Weight of casing per linear foot.....18 lb.
 Thickness of casing.....1/4"..... Temp. of water.....50°
 Diameter and length of casing.....6" x 63'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....
 If nonflowing well give depth of standing water from surface.....22'
 If flowing well describe control works.....
(Type and size of valve, etc.)
 Date of commencement of well.....February 24, 1958..... Date of completion of well.....February 26, 1958
 Type of well rig.....Cable.....

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	48	48	Brown clay Seep @ 28' w/gravel mottled	Chief aquifer (water-bearing formation)
48	53	5	Broken rock--yellow & brown	from <u>53</u> to <u>63</u> ft.
53	63	10	Tight sand & gravel--water here	Other aquifers <u>Seep @ 28'</u>
				First water at <u>53</u> feet.
				Casing perforated from <u>43</u> to <u>63</u> ft.
				Size of perforations <u>1/8" x 6" Torch Cut</u>



