

WELL LOG AND REPORT TO THE  
STATE RECLAMATION ENGINEER OF <sup>NEVADA</sup> ~~INDIA~~

Log No. 4995  
 Rec. Jan 14, 1960  
 Well No. 17834  
 Permit No. 74843

(DO NOT FILL IN)

Owner George S. Cannon Address Carson City Nevada  
 Driller Jim Brown Address Twin Falls Idaho Lic. No. \_\_\_\_\_  
 Location of Well: NE 1/4 SW 1/4 Sec. 1, T. 47 N/S, R. 6 E/W Blaine County,  
 and \_\_\_\_\_ feet N/S, and \_\_\_\_\_ feet E/W from \_\_\_\_\_ Corner of \_\_\_\_\_ 1/4 \_\_\_\_\_ 1/4 Sec. \_\_\_\_\_  
 Size of Drilled Hole 8" Total depth of Well 225'  
 Give depth of standing water from surface 155' Water Temp. \_\_\_\_\_ °Fahrenheit  
 On pumping test delivery was \_\_\_\_\_ g.p.m. or \_\_\_\_\_ c.f.s. Drawdown was \_\_\_\_\_ feet.  
 Size of pump and motor used to make the test \_\_\_\_\_  
 Length of time pumped during check was \_\_\_\_\_ hr., \_\_\_\_\_ minutes.  
 If flowing well, give flow in c.f.s. \_\_\_\_\_ or g.p.m. \_\_\_\_\_ and shut in pressure \_\_\_\_\_  
 If flowing well, describe control works \_\_\_\_\_ (TYPE AND SIZE OF VALVE, ETC.)  
 Water will be used for Commercial Culinary DSB Weight of casing per linear foot \_\_\_\_\_  
 Thickness of casing 3/8" Casing material Steel  
E.G., PIPE, CONCRETE, WOOD.  
 Diameter, length and location of casing 8" I.D. 225' Top to Bottom  
(CASING 12" IN DIAMETER AND UNDER GIVE INSIDE DIAMETER;  
 CASING OVER 12" IN DIAMETER GIVE OUTSIDE DIAMETER.)  
 Number and size of perforations \_\_\_\_\_ located \_\_\_\_\_ feet to \_\_\_\_\_ feet  
 from surface of ground.  
 Other perforations \_\_\_\_\_  
 Date of commencement of well Jan 2, 54 Date of completion of well Jan 8, 1954  
 Type of well rig Churn Drill

CASING RECORD

DIAM. CASING	FROM FEET	TO FEET	LENGTH	"REMARKS" -- SEALS, GROUTING, ETC.

