

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5005  
 Rec. Jan 26 1960  
 Well No. \_\_\_\_\_  
 Permit No. 18555  
*Do not fill in*

Owner Lesbo Warner Lisbo Driller A & B CONTRACTORS

Address \_\_\_\_\_ Address Sun Valley, Nev. Lic. No. 287

Location of well: SE 1/4 NE 1/4 Sec. 14, T34 N/S, R55 E, in Elko County  
 or \_\_\_\_\_

Water will be used for domestic Total depth of well 94 1/2'

Size of drilled hole 6" Weight of casing per linear foot 19 lbs.

Thickness of casing 1/2" Temp. of water cold

Diameter and length of casing 6" X 94 1/2'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 30'

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well Nov. 20, 1959 Date of completion of well Nov. 22, 1959

Type of well rig cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	12	12	Sandy loam	
12	55	43	sandy clay	
55	62	7	water gravel, sand	Chief aquifer (water-bearing formation) from <u>62</u> to <u>94</u> ft.
62	94	32	sand & clay stratas	Other aquifers <u>55 to 62</u>  First water at <u>55</u> feet.  Casing perforated from <u>74</u> to <u>94</u> ft.  Size of perforations <u>1/8" X 6"</u>



