

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5008
 Rec. Jan 26 1960
 Well No.
 Permit No.
Do not fill in



Owner Howard Fletcher Driller A & B CONTRACTORS

Address Address Sun Valley, Nev. Lic. No. 208

Location of well: $\frac{1}{4}$ Sec. $\frac{1}{4}$, T. N/S, R. E, in County
 or

Water will be used for domestic Total depth of well 260'

Size of drilled hole 8" Weight of casing per linear foot 19lbs.

Thickness of casing 5/16" Temp. of water cold

Diameter and length of casing 6" X 250'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 165'

If flowing well describe control works

Date of commencement of well Oct. 29-59 Date of completion of well Nov. 20-59
 (Type and size of valve, etc.)

Type of well rig cable tool

LOG OF FORMATIONS				Water-bearing Formation, Casing Perforations, Etc.
From feet	To feet	Thickness feet	Type of material	
0	21	21	Brown clay	
21	76	55	brown rock	Chief aquifer (water-bearing formation) 210 to 217
76	122	46	grey rock	from to ft.
122	210	88	hard brown rock	Other aquifers
210	217	7	black rock, water	<u>238 to 250'</u>
217	238	21	brown rock
238	250	12	grey rock & water
250	260	10	brown rock
				First water at <u>210</u> feet.
				Casing perforated from <u>180</u> to <u>248</u> ft.
				Size of perforations <u>1/8" X 6"</u>



