

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5018  
 Rec. Feb 1 1960  
 Well No. ....  
 Permit No. ....  
*Do not fill in*

Owner Maury Francis Driller A & B Contractors  
 Address 2025 Boise Dr., Sparks, Nev. Address Sun Valley, Nev. Lic. No. 287

Location of well: NW 1/4 NE 1/4 Sec. 4, T19 N/S, R. 20E, in Washoe County  
 or .....

Water will be used for domestic Total depth of well 86'

Size of drilled hole 6" Weight of casing per linear foot 19 lbs.

Thickness of casing 1/4" Temp. of water cold

Diameter and length of casing 6" x 86'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure .....

If nonflowing well give depth of standing water from surface 20'

If flowing well describe control works .....

(Type and size of valve, etc.)

Date of commencement of well Oct. 17-59 Date of completion of well Oct. 20-59

Type of well rig cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	6	6	Sandy loam
6	38	32	sand
38	43	5	sand & gravel
43	60	17	sandy clay
60	68	8	blue clay
68	71	3	sand
71	86	15	blue clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 68 to 71 ft.

Other aquifers 38 to 60

First water at 38 feet.

Casing perforated  
 from 66 to 86 ft.

Size of perforations

1/8 x 6"



