

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5028  
 Rec. \_\_\_\_\_ 19\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. 16814  
*Do not fill in*

Owner Maury Francis Driller A & B CONTRACTORS  
 Address 2025 Boise Dr., Sparks, Nev. Address Sun Valley, Nev. Lic. No. 287

Location of well: SW 1/4 Sec. 33, T20N6, R20E, in Washoe County  
 or \_\_\_\_\_

Water will be used for domestic and irrigation Total depth of well 86'  
 Size of drilled hole 6" Weight of casing per linear foot 19 lbs.

Thickness of casing 1/4" Temp. of water cold

Diameter and length of casing 6" X 86'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_ 20'

If nonflowing well give depth of standing water from surface \_\_\_\_\_

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well Oct. 17-59 Date of completion of well Oct. 20-59  
cable tool

Type of well rig \_\_\_\_\_

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	6	6	Sandy Loam
6	38	32	sand
38	43	5	sand & gravel
43	60	17	sandy clay
60	68	8	blue clay
68	71	3	sand
71	86	15	blue clay

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 68 to 71 ft.

Other aquifers \_\_\_\_\_  
38 to 60'

---

First water at 38 feet.

Casing perforated  
 from 66 to 86 ft.

Size of perforations  
1/8" X 6"

