

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 5039  
 Rec. Feb. 16 1960  
 Well No. ....  
 Permit No. 17409  
*Do not fill in*

Owner St. Vincent Homes Driller William Flynn  
 Address 1715 Adams St. Reno, Nev. Address Box 26 Yutter, Calif. Lic. No. 102  
 Location of well: NW 1/4 SE 1/4 Sec. 36, T. 36 N. R. 37 E. in Humboldt Co. County  
 or .....  
 Water will be used for Domestic Total depth of well 135  
 Size of drilled hole 10 in. Weight of casing per linear foot 18 lb.  
 Thickness of casing 3/16 in. Temp. of water 60.0  
 Diameter and length of casing 10 in.  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....  
 If nonflowing well give depth of standing water from surface..... 26 ft.  
 If flowing well describe control works.....  
 (Type and size of valve, etc.)  
 Date of commencement of well Sept 26 57 Date of completion of well Sept 28 57  
 Type of well rig Table

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	3	3	White sand	
3	30	27	blue sand	
30	36	6	blue sand pea gravel	Chief aquifer (water-bearing formation)
36	110	74	blue fine sand	from <u>135</u> to .....ft.
110	127	17	hard blue sand	Other aquifers.....
127	135	8	yellow clay	
135			large gravel	
				First water at <u>70</u> feet.
				Casing perforated
				from ..... to .....ft.
				Size of perforations





Situate in the COUNTY OF HUMBOLDT, STATE OF NEVADA, particularly described as follows, to-wit:

Beginning at the Eastquarter corner of Section 36, Township 36 North, Range 37 East, M.D.B&M.; thence running West along the quarter section line a distance of 910.16 feet to a point of Highway U. S. 40; thence South  $50^{\circ} 56'$  West 522.71 feet along said right of way line of said highway to a point (iron pipe), said point being the true point of beginning; thence same last said course 750.00 feet to a point (iron pipe); thence North  $39^{\circ} 04'$  West 400 feet to a point; thence North  $50^{\circ} 56'$  East, 750.00 feet to a point; thence South  $39^{\circ} 04'$  East 400.00 feet to the point of beginning; further described as a tract of land fronting 750.00 feet on Highway Route No. 40, and extending Northwesterly 400.00 feet in depth and situate all within the Northwest Quarter of the Southeast quarter ( $NW\frac{1}{4}$   $SE\frac{1}{4}$ ) of Section 36, Township 36 North, Range 37 East, M.D.B.&M.