

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5042
 Rec. FEB 17 1960
 Well No. _____
 Permit No. _____

Do not fill in

Owner Victor Tjulander Driller Meyer Drilling Co. Inc.
 Address 3595 Platt Ave Lynwood, Calif Address Box 122 Bath st. Lic. No. 209
 Location of well: NE 1/4 NE 1/4 Sec 32, T10 N/S, R22 E, in Douglas County
 or Topaz Lake
 Water will be used for Domestic Total depth of well 80 ft.
 Size of drilled hole 6" Weight of casing per linear foot 13 lbs.
 Thickness of casing 2/16" Temp. of water cool
 Diameter and length of casing 6" ID 80 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure Not Flowing
 If nonflowing well give depth of standing water from surface 18 ft.
 If flowing well describe control works Not Flowing
(Type and size of valve, etc.)
 Date of commencement of well Oct. 25, 1959 Date of completion of well Nov. 4, 1959
 Type of well rig 71 Speed Star Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	rock & clay
8	12	4	rock
12	22	10	rock & clay
22	62	40	rock & sand & clay
62	80	18	rock & sand

MEYER DRILLING CO., INC.
 CARSON CITY, NEVADA

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 62 to 80 ft.

Other aquifers _____

First water at 22 feet.

Casing perforated from 60 to 80 ft.

Size of perforations

1/8" X 6"

torch



