

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5183  
 Rec. MAY 23 19 60  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

*Do not fill in*

Owner T. E. Snowdon Driller A & E Contractors, C. Pulati

Address 335 Slope Dr., Sun Valley, Nev. Address Sun Valley, Nev. Lic. No. 207

Location of well: SE 1/4 SW 1/4 Sec. 18, T20 N/S/ R. 20E, in Washoe County

Water will be used for domestic Total depth of well 92'

Size of drilled hole 6" Weight of casing per linear foot 7 lbs.

Thickness of casing 10 ga. Temp. of water cold

Diameter and length of casing 6" X 92'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. 3 GPM

If nonflowing well give depth of standing water from surface 26'

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 4-22-60 Date of completion of well 4-24-60

Type of well rig cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	41	41	Clay & gravel
41	43	2	broken rock
43	64	21	clay & gravel
64	69	5	tight gravel
69	92	23	clay & broken rock

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 64 to 69 ft.

Other aquifers 41

---

First water at 41 feet.

Casing perforated  
 from 50 to 90 ft.

Size of perforations  
4 rows 1/16 X 8 X 8



