

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY



Log No. 5184  
 Recd. MAY 23 1960  
 Well No. ....  
 Permit No. ....  
*Do not fill in*

Owner R. T. Davis Driller A. & B. Contractors, L. Smith

Address 660 Aspen Dr., Cold Spgs., Nev. Address Sun Valley, Nev. Lic. No. 208

Location of well: SW<sup>1</sup>/<sub>4</sub> SW<sup>1</sup>/<sub>4</sub> Sec. 30, T. 21N/S, R. 18E, in Nashua County

Water will be used for domestic Total depth of well XX, 70

Size of drilled hole 6" Weight of casing per linear foot 14 lbs.

Thickness of casing 1/4" Temp. of water cold

Diameter and length of casing 6" X 67'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure 18 GPM

If nonflowing well give depth of standing water from surface SWL 9'

If flowing well describe control works (Type and size of valve, etc.)

Date of commencement of well 5-5-60 Date of completion of well 5-6-60

Type of well rig cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	12	12	White clay
12	13	1	sand & water
13	57	44	blue clay
57	67	10	sand & water
67	70	3	blue clay

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
57 to 67 ft.  
 from ..... to .....ft.

Other aquifers 12-13

---

First water at 12 feet.

Casing perforated  
 from 47 to 67 ft.

Size of perforations  
1/8 X 6"



