

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY



Log No. 5186
 Rec. MAY 23 1960
 Well No.
 Permit No.
Do not fill in

Owner Clair Heater Driller A. & B. CONTRACTORS

Address 1700 Marvel Way, Fernley, Nevada Address Sun Valley, Nev. Lic. No.

Location of well: SW 1/4 NE 1/4 Sec. 14, T20 N/6, R24 E, in Lyon County
 or

Water will be used for domestic Total depth of well 83'

Size of drilled hole 6" Weight of casing per linear foot 9 lbs.

Thickness of casing 10 ga. Temp. of water cold

Diameter and length of casing 6" X 83'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.

If nonflowing well give depth of standing water from surface 28'

If flowing well describe control works.
 (Type and size of valve, etc.)

Date of commencement of well 3-9-60 Date of completion of well 3-14-60

Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	Top soil
5	22	17	sandy clay
22	26	4	loose sand & water
26	53	27	sandy clay
53	69	16	loose gravel & water
69	80	11	loose brown sand & water
80	83	3	brittle clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
53 to 69 ft.
 from to ft.

Other aquifers 22-26

22
 First water at feet.

Casing perforated
 from 65 to 80 ft.

Size of perforations
1/8" X 6"



