

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5197
 Rec. MAY 23 19 60
 Well No.
 Permit No.
Do not fill in

Owner John Seaman Driller A. & B. Contractors, C. Pulati

Address 953 1/2 Balaton, Reno, Nev. Address Sun Valley, Nev. Lic. No.

Location of well: SE 1/4 SE 1/4 Sec. 27, T20 N/8, R19 E, in Washoe County
 or Lot #2 Block 10 Hepner Subd. # 2.

Water will be used for domestic Total depth of well 130

Size of drilled hole 6" Weight of casing per linear foot 9 lbs

Thickness of casing 3/16" Temp. of water cold

Diameter and length of casing 6" x 160
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure 6 GPM

If nonflowing well give depth of standing water from surface 74' SWL

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well 4- -60 Date of completion of well 4- -60

Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	Sand
2	4	2	hard pan
4	12	8	sandy clay
12	17	5	sandstone
17	32	15	clay & gravel
32	54	22	hard pan
54	86	32	clay & gravel
86	92	6	brocken rock (water)
92	118	26	sandy clay
118	136	18	clay & gravel
136	180	44	hard pan with layers of rock (water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 86 to 92 ft.

Other aquifers 136- 180

First water at 86 feet.

Casing perforated

from 120 to 160 ft.

Size of perforations

1/16 x 6



