


# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 5234  
 Rec. JUNE 28 1960  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Bell Burns Driller W. E. Blain

Address Star Route Minden, Nevada Address Box 286 Lake Valley Lic. No. 301

Location of well:  $\frac{1}{4}$  Sec. 33, T. 14 N/S, R. 20 E, in Nevada County  
2 miles east of US 395 on Johnson, then 400 ft east + 200 ft north  
 or of intersection of Vicksburg & Dennis 5 miles north of Minden

Water will be used for Domestic Total depth of well 84 ft

Size of drilled hole 12" to 20 ft Weight of casing per linear foot 11.69 lbs

Thickness of casing 10 gage Temp. of water Cold

Diameter and length of casing 8" x 84 ft  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 8 ft

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 5-31-60 Date of completion of well 6-6-60

Type of well rig Cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	soil
3	20	17	sand
20	25	5	clay
25	34	9	sand
34	39	5	sandy clay
39	66	27	sand
66	69	3	sandy clay
69	82	13	sand
82	84	2	clay

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 69 to 82 ft.

Other aquifers 3-20  
60-66

---

First water at 10 feet.

Casing perforated  
 from 64 to 84 ft.

Size of perforations  
3" x 1/2"

OFFICE STATE ENGINEER  
 1960 JUN 28 AM 10 38 4

