

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 5248
 Rec. JUNE 13 1960
 Well No. _____
 Permit No. _____
Do not fill in

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner R. W. Brown Driller J. N. Pitcher Co.

Address Box 232 Fernly, Nevada Address 9501 S. Virginia Rd Lic. No. 232

Location of well: NW 1/4 SW 1/4 Sec. 22, T20 N/S, R 25 E, in Lyon County _____
 or _____

Water will be used for Domestic Total depth of well 100 Ft.

Size of drilled hole 6" Weight of casing per linear foot 18 Pds.

Thickness of casing .188 Temp. of water 60

Diameter and length of casing 6 1/4 x 100
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure Non-flowing

If nonflowing well give depth of standing water from surface 55 Ft.

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well May 10 Date of completion of well May 14

Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	12	12	Small Boulders
15	45	30	Gravel & Clay
45	50	5	Sandy Clay
50	63	13	Gravel & Clay
63	75	12	Round small Gravel
75	85	10	Clay & Sand
85	95	10	Gravel
95	100	5	Clay & Some Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 63 to 75 ft.

Other aquifers _____

First water at 63 feet.

Casing perforated

from 75 to 95 ft.

Size of perforations

Torch cut 1/8 x 6

OFFICE OF THE STATE ENGINEER

1960 JUN 13 AM 9 43





