

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 5250
 Rec. JUNE 13 1960
 Well No.
 Permit No.
Do not fill in

Owner James C. Robertson Driller J. N. Pitcher Company
 Address 2300 Prater Way Address 9501 S. Virginia Lic. No. 1507
 Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. 7, T. 12 N/S, R. 22 E, in Washoe County
 or Block L Lot 7 Washoe Valley Farms
 Water will be used for Domestic Total depth of well 70
 Size of drilled hole 6" Weight of casing per linear foot.....
 Thickness of casing .188 Wall Temp. of water 68°
 Diameter and length of casing 6 1/4" x 70'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure..... None
 If nonflowing well give depth of standing water from surface..... 5'
 If flowing well describe control works..... None
 (Type and size of valve, etc.)
 Date of commencement of well 9-9-59 Date of completion of well 9-10-59
 Type of well rig Cable Tool

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material | Water-bearing Formation, Casing Perforations, Etc. |
|-----------|---------|----------------|------------------------------|--|
| 0 | 2 | 2 | Top soil | |
| 2 | 7 | 5 | Hard Pan | |
| 7 | 30 | 23 | Brown Clay and Sand | Chief aquifer (water-bearing formation) |
| 30 | 35 | 5 | Green sand some clay | from <u>15</u> to <u>70</u> ft. |
| 35 | 45 | 10 | Clay sand and small gravel | Other aquifers..... |
| 45 | 70 | 25 | Sand coarse to coarse gravel | |
| | | | | First water at.....feet. |
| | | | | Casing perforated |
| | | | | from <u>50</u> to <u>68</u> ft. |
| | | | | Size of perforations |
| | | | | <u>1/8 x 6"</u> |
| | | | | Torch cut |

1960 JUN 13 AM 9 45
 1960 JUN 13 AM 9 45



