


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY



Log No. 5264
 Rec. APRIL 28 1960
 Well No. 18502
 Permit No. 16468
Do not fill in

Owner Wm. EARL POLLARD Driller _____
 Address EUREKA Address _____ Lic. No. _____
 Location of well: SE 1/4 SE 1/4 Sec. 8, T22N8, R54E, in EUREKA County
 or _____
 Water will be used for IRRIGATION Total depth of well _____
 Size of drilled hole _____ Weight of casing per linear foot _____
 Thickness of casing _____ Temp. of water 60°
 Diameter and length of casing _____
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface _____
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well _____ Date of completion of well _____
 Type of well rig _____

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	12	12	Course Sand.	
12	21	9	Fine Sand	Chief aquifer (water-bearing formation)
21	50	29	Block Mud.	from _____ to _____ ft.
50	60	10	Quick Sand.	Other aquifers _____
60	70	10	Clay and Mud	_____
70	100	30	Dark Clay + Sand.	_____
100	126	26	Gray Tuff Shale.	_____
126	135	9	Block Mud + Sand.	_____
135	155	20	Gravel + Course Sand Lots of water.	First water at _____ feet.
				Casing perforated
				from _____ to _____ ft.
				Size of perforations _____



Eureka, Nevada

March 30, 1960

Mr. Wm. Earl Pollard

Eureka, Nevada

Dear Mr. Pollard:

On March 18, 1960 we tested the well located on
SE $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 8 T22N R54E MDB&M in Eureka
county and found the following results:

Pumping 1200 GPM the draw down was from
8' to 50' - Temp. of the water was 60°.

EUREKA FARM SUPPLY

Vernon A. Manz

1960 APR 20 AM 11 24

1446 8