

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5267
 Rec. JUNE 27 1960
 Well No. _____
 Permit No. _____
(Do not fill in)

Owner Ray Carins Driller Pete Anderson
 Address Seaman Valley Address 604 E 4th St Lic. No. 307
 Location of well: SE 1/4 NE 1/4 Sec. 23, T. 28N, S. R. 19E, in Washoe County
 or Lot 66 Hedden Sub #2 Seaman Valley
 Water will be used for Domestic Total depth of well 96'
 Size of drilled hole 6" Weight of casing per linear foot 13 lbs.
 Thickness of casing 3/16" Temp. of water 58° app
 Diameter and length of casing 96' - 6"
(Casing 12" in diameter and under give inside diameter, casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 24 ft.
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well June 4-60 Date of completion of well June-5-60
 Type of well rig Cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	35'	35'	Sand - Dirt	
35	40'	5'	Sand - Clay	
40	65'	25'	Sandy - Clay	Chief aquifer (water-bearing formation) from <u>60'</u> to <u>96'</u> ft.
65	96'	31'	Sand + Clay + Gravel, intermittent	Other aquifers <u>40'</u>
				First water at <u>40'</u> feet.
				Casing perforated from <u>71'</u> to <u>95'</u> ft.
				Size of perforations <u>1/8" X 4"</u>

OFFICE
 STATE ENGINEER
 1960 JUN 27 AM 9 28

