

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5331
 Rec. 7-25-1960
 Well No. _____
 Permit No. _____
Do not fill in

Owner Mr. John W. Bour Driller J. E. Ritchey Company

Address 210 Twin Lake Drive, Reno, Nevada Address 9501 S. Virginia St. Lic. No. 232

Location of well: 16 1/4 NW 1/4 Sec. 16, T. 12 N/S, R. 19 E, in Washoe County
 or _____

Water will be used for Domestic Total depth of well 110

Size of drilled hole 6" Weight of casing per linear foot 9 1/2 Lbs.

Thickness of casing 1/4" Temp. of water 54

Diameter and length of casing 6" X 110'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure Non-flowing

If nonflowing well give depth of standing water from surface 75'

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well 6/25/60 Date of completion of well 7/9/60

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Topsoil
4	47	43	Lge. Granite Boulders & Gravel
47	70	23	Hard Cemented Gravel
70	74	4	Boulders
74	89	15	Cemented Gravel
89	102	15	Water Gravel Bed.
102	110	8	Blue Shale

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 89 to 110 ft.

Other aquifers _____

First water at 89 feet.

Casing perforated

from 75 to 110 ft.

Size of perforations

Torch Cut 1/8 X 6

OFFICE
STATE ENGINEER

1960 JUL 25 AM 9 23



