

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5337
 Rec. Aug 3 1960
 Well No.
 Permit No.
Do not fill in

Owner Mr. Ernest Hepp Driller J. H. Pitcher Company
 Address 65 Sierra Manor Drive, Reno, Nev. Address 9501 S. Virginia St. Lic. No. 232
 Location of well: NE 1/4 SE 1/4 Sec. 9, T15 N/4, R 20 E, in Washoe Ormsby County
 or
 Water will be used for Domestic Total depth of well 71'
 Size of drilled hole 6" Weight of casing per linear foot 9 1/2 lbs.
 Thickness of casing 1/4" Temp. of water 52
 Diameter and length of casing 6" X 71'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure Non-flowing
 If nonflowing well give depth of standing water from surface 35'
 If flowing well describe control works
 (Type and size of valve, etc.)
 Date of commencement of well June 27, 1960 Date of completion of well June 29, 1960
 Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	25	25	Sandy clay
25	30	5	Brown Sand
30	35	5	Green Clayey sand
35	65	30	Blue sandy clay
65	67	2	Clay & small gravel
67	71	4	Sand coarse

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 25 to 55 ft.

Other aquifers.....

First water at 25 feet.

Casing perforated

from 56 to 71 ft.

Size of perforations

Torch Cut 1/8 X 6

OFFICE
STATE ENGINEER

1960 AUG 3 AM 8 38



