

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY



Log No. 5386
 Rec. Aug. 15 1960
 Well No. _____
 Permit No. _____
Do not fill in

Owner Budd & Ernest Dressler Driller W. E. Blain

Address Gen'l Del, Gardnerville, Nevada Address Box 255 Carson City Lic. No. 301

Location of well: $\frac{1}{4}$ Sec. 30, T. 12N/S, R. 20E, in Douglas County

or 3 miles south of intersection of Centerville Road & Fort Hill Road
700 ft east of Fort Hill Road.

Water will be used for stock Total depth of well 59 ft

Size of drilled hole 12" to depth of 30 ft Weight of casing per linear foot 11.69

Thickness of casing 11 gage Temp. of water Cold

Diameter and length of casing 8" x 60 ft
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface..... 10 ft

If flowing well describe control works.....
(Type and size of valve, etc.)

Date of commencement of well 7-2-60 Date of completion of well 7-19-60

Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	soil
2	10	8	Gravelly clay
10	33	23	Coarse sand
33	44	11	Sandy clay
44	47	3	Gravel
47	51	4	Sandy clay & Rock
51	55	4	Gravel
55	57	2	Sandy clay & Rock
57	59	2	Gravel
59	60	1	Clay & Rock

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 51 to 57 ft.

Other aquifers 44 - 47

First water at 33 feet.

Casing perforated

from 51 to 59 ft.

Size of perforations

2" x 3/8"

OFFICE
STATE ENGINEER

1960 AUG 15 AM 10 12



