

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5395
 Rec. SEPT. 8 1960
 Well No.
 Permit No.
Do not fill in

Owner A. P. NJIRICH Driller Pete Anderson
 Address Box 47 Steamboat New Address 604 E 4th St Reno Lic. No. 307
 Location of well: $\frac{1}{4}$ Sec. 7, T. 16N/S, R. 20E, in Washoe County
 or Lot 4 Block T. Washoe Valley Farms
 Water will be used for Domestic Total depth of well 60'
 Size of drilled hole 6" Weight of casing per linear foot 13 lbs.
 Thickness of casing 3/16" Temp. of water 58°
 Diameter and length of casing 6" - 60'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....
 If nonflowing well give depth of standing water from surface 14'
 If flowing well describe control works.....
 (Type and size of valve, etc.)
 Date of commencement of well Aug 10, 60 Date of completion of well August 12, 60
 Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3'	3'	loose sand
3	8	5'	hard pan
8	38	30'	sand - clay - gravel
38	42	4'	sand gravel
42	55'	12	sandy - clay
55	60	5	Sand - gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 55' to 60' ft.

Other aquifers 38' - 42'

First water at 20 feet.

Casing perforated

from 55 to 60 ft.

Size of perforations

3/16" x 4"



