

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5434  
 Rec. Oct 7 19 60  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner James Brown Driller Gene Anderson

Address St 10 Block P. Washoe Valley Farms Address 604 4th St. Reno Lic. No. 307

Location of well: NE 1/4 NE 1/4 Sec. 8, T. 16 N. R. 20 E. in Washoe County

or St 10 Block P. Washoe Valley Farms ARW 050-424-05

Water will be used for Domestic Total depth of well 70'

Size of drilled hole 6" Weight of casing per linear foot 6 lbs.

Thickness of casing 1/8" Temp. of water 58°

Diameter and length of casing 70' of 6"  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. \_\_\_\_\_

If nonflowing well give depth of standing water from surface 30'

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well Sept. 27-60 Date of completion of well Sept. 30-60

Type of well rig Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	30'	30'	Sand
30'	50'	20'	Sandy clay
50'	70'	20'	Sand Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 50' to 70' ft.

Other aquifers 30'

First water at 30' feet.

Casing perforated

from 55' to 70' ft.

Size of perforations

1/8 x 4"



