

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5486
 Rec. Oct 25 1960
 Well No.
 Permit No.
Do not fill in

Owner Marvin Crow Driller A & B Contractors (E. Kroker)
 Address Sun Valley, Nev. Address Sun Valley, Nev. Lic. No.
 Location of well: SE 1/4 NE 1/4 Sec 17, T20N/S, R20E, in Washoe County
 or.....
 Water will be used for domestic Total depth of well 157'
 Size of drilled hole 6" Weight of casing per linear foot 19 lbs
 Thickness of casing 1/4" Temp. of water cold
 Diameter and length of casing 6" X 14- 154'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....
 If nonflowing well give depth of standing water from surface ±5 97'
 If flowing well describe control works.....
 (Type and size of valve, etc.)
 Date of commencement of well 5-25-60 Date of completion of well 6-3-60
 Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	40	40	Light grey soil
40	95	55	light brown sand stone
95	107	12	yellow clay
107	128	21	dark grey clay & boulders
128	130	2	water gravel
130	155	25	light grey shale, sandy
155	157	2	spongy rock and water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 155 to 157 ft.

Other aquifers 128'

First water at 128 feet.

Casing perforated
 from 136 to 156 ft.

Size of perforations

1/8" X 6"



