

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5491
 Rec. Oct 25 1960
 Well No.
 Permit No.

Do not fill in

Owner Sun Valley Fire Dept. Driller A. & B. Contractors, (L. Smith) ✓
 Address Sun Valley, Nev. Address Sun Valley, Nev. Lic. No. 208
 Location of well: SW 1/4 NW 1/4 Sec. 18, T. 20N, R. 20E, in Washoe County
 or
 Water will be used for domestic Total depth of well 203
 Size of drilled hole 8" Weight of casing per linear foot 19
 Thickness of casing 5/16 Temp. of water cold
 Diameter and length of casing 6" ID X 203'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure 20GPM
 If nonflowing well give depth of standing water from surface 35'
 If flowing well describe control works
(Type and size of valve, etc.)
 Date of commencement of well 6-17-60 Date of completion of well 6-21-60
 Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Brown sandy silt
4	28	24	hard brown sand & clay
28	29	1	sand & water
29	154	125	hard brown sand & clay
154	172	18	hard red broken rock
172	187	15	brown sandy clay
187	198	11	brown broken rock, water
198	103	5	hard brown clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 187 to 198 ft.

Other aquifers 154

First water at 28 feet.

Casing perforated
 from 122 to 200 ft.

Size of perforations
1/8 X 6"



