

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5492
 Rec. Oct 25 19 60
 Well No.
 Permit No.

Do not fill in

Owner George Gamache Driller A & B Contractors (Geo. Rahier) Ore.
 Address 280 Boxer Dr., Reno, Nev Address Sun Valley, Nev. Lic. No. 69
 Location of well: SW 1/4 SW 1/4 Sec 29, T17 N/S, R20 E, in Washoe County
Lot 3, Block J, New Washoe City Subd. #1
 Water will be used for domestic Total depth of well 131'
 Size of drilled hole 6" Weight of casing per linear foot 13 lbs
 Thickness of casing 188 ga. Temp. of water cold
 Diameter and length of casing 6" X 83'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....
 If nonflowing well give depth of standing water from surface 16'
 If flowing well describe control works.....
(Type and size of valve, etc.)
 Date of commencement of well 5-19-60 Date of completion of well 6-2-60
 Type of well rig 71 Star cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Top soil
4	11	7	brown sand
11	22	11	sandy clay
22	38	16	sand
38	42	4	sandy clay
42	46	4	sandy clay
46	51	5	sand & fine silt
51	60	9	sand & clay
60	79	19	sand & silty clay
79	83	4	decomposed granite
83	124	41	granite, broken
124	131	7	soft clay & BG.

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

72 83

from toft.

Other aquifers.....

First water at 22.....feet.

Casing perforated

from 67 to 83 ft.

Size of perforations

1/8 X 6"



