

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5793
 Rec. Oct. 25 1960
 Well No.
 Permit No.
Do not fill in

Owner J. T. Skinner Driller A. & B. Contractors (C. Pulati)

Address PO Box 893, Sparks, Nev. Address Sun Valley, Nev. Lic. No. 207

Location of well: NE ³⁰ 1/4 SW 1/4 Sec. ~~20~~, T. 17N/8, R. 20E, in Washoe County
 or Lot 1, Block A, New Washoe City Subd. #1

Water will be used for domestic Total depth of well 105

Size of drilled hole 6" Weight of casing per linear foot 12 lbs

Thickness of casing 219 ga. Temp. of water cold

Diameter and length of casing 6" X 105'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 33'

If flowing well describe control works

(Type and size of valve, etc.)

Date of commencement of well 6-8-60 Date of completion of well 6-11-60

Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	38	38	Boulder & clay
38	42	4	D.G. & water
42	68	26	clay & boulders
68	103	35	D.G. & water
103	105	2	clay & gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 68 to 103 ft.

Other aquifers 38-42

First water at 38 feet.

Casing perforated from 60 to 105 ft.

Size of perforations 1/8 X 6"



