

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5529  
 Rec. Nov. 1 1960  
 Well No. ....  
 Permit No. ....  
*Do not fill in*

Owner David Weeks Driller A. & B. Contractors (L. Smith)

Address Sun Valley, Nev. Address Sun Valley, Nev. Lic. No. 208

Location of well: NW 1/4 SE 1/4 Sec. 18 T. 20N/S, R20 E, in Washoe County

Water will be used for domestic Total depth of well 65

Size of drilled hole 3" Weight of casing per linear foot 12-lbs- 9 lbs

Thickness of casing 10 ga. Temp. of water cold

Diameter and length of casing 6" X 65'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. ....

If nonflowing well give depth of standing water from surface 22'

If flowing well describe control works. ....  
(Type and size of valve, etc.)

Date of commencement of well 7-22-60 Date of completion of well 7-28-60

Type of well rig cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	sand & clay, brown
3	22	19	hard sand & brown clay
22	54	32	sand & clay
54	65	11	coarse sand & water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 54 to 65 ft.

Other aquifers .....

First water at 54 feet.

Casing perforated

from 50 to 65 ft.

Size of perforations

1/8 X 6"



