

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5530
 Rec. Nov. 1 1960
 Well No.
 Permit No.
Do not fill in



Owner George Cox Driller A & B Contractors (L. Smith)

Address White Creek Rd, Reno, Nev. Address Sun Valley, Nev. Lic. No. 208

Location of well: SW 1/4 NW 1/4 Sec. 30., T. 18N/S, R. 20E, in Washoe County
 or.....

Water will be used for domestic Total depth of well 172

Size of drilled hole 8" Weight of casing per linear foot 32lbs.

Thickness of casing 1/4" Temp. of water cold

Diameter and length of casing 8" X 130', 6" X 42'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface..... 130

If flowing well describe control works.....
 (Type and size of valve, etc.)

Date of commencement of well 7-14-60 Date of completion of well 7-27-60

Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	11	11	Sand clay & big gravel
11	92	81	sand clay & boulders
92	130	38	sand clay & gravel
130	157	27	boulders & clay
157	172	15	big gravel, some clay & water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation) 157 to 172

from toft.

Other aquifers.....

First water at 157 feet.

Casing perforated

from 131 to 169 ft.

Size of perforations

1/8 X 6"



