

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5531  
 Rec. Nov 1 19 60  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Donald Gowins Driller A & B Contractors (L/Sitze)

Address 348 Sidehill Dr., Sun Valley, Nev. Address Sun Valley, Nev. Lic. No. \_\_\_\_\_ Gal. \_\_\_\_\_

Location of well: NW 1/4 SW 1/4 Sec. 18, T20 N/S, R 20E, in Washoe County \_\_\_\_\_

or \_\_\_\_\_

Water will be used for domestic Total depth of well 100

Size of drilled hole 6" Weight of casing per linear foot 9 lbs

Thickness of casing 10 ga Temp. of water cold

Diameter and length of casing 6" X 100'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 50'

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 8-25-60 Date of completion of well 8-9-2-60

Type of well rig cable tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	20	20	clay top soil
20	45	25	decomposed granite
45	100	55	soft brown rock

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 60 to 100 ft.

Other aquifers \_\_\_\_\_

---

First water at 60 feet.

Casing perforated  
 from 60 to 100 ft.

Size of perforations  
1/8 X 6"

