

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5532
 Rec. Nov. 1 1960
 Well No.
 Permit No.
Do not fill in

Owner Carl Meyers Driller A & B Contractors (Geo. Kahler)
Ore.

Address 5125 West 4th St., Reno, Nev. Address Sun Valley, Nev. Lic. No. 69

Location of well: SW 1/4 SW 1/4 Sec. 29., T. 17N/S, R. 20E, in Washoe County

or Lot 9 Block # H, New Washoe City Subd. #1

Water will be used for domestic Total depth of well 82'

Size of drilled hole 6" Weight of casing per linear foot 12 lbs.

Thickness of casing 219 ga. Temp. of water cold

Diameter and length of casing 6" X 82'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface

If flowing well describe control works

(Type and size of valve, etc.)

Date of commencement of well 6-3-60 Date of completion of well 6-3-60

Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	4	4	Top soil & sand	
4	43	39	sand & gravel, clay binder	Chief aquifer (water-bearing formation)
43	57	14	sand & some silt	from <u>71</u> to <u>84</u> ft.
57	71	14	silt & clay	Other aquifers <u>43 & 57</u>
71	84	13	coarse sand	
				First water at <u>43</u> feet.
				Casing perforated
				from <u>52</u> to <u>80</u> ft.
				Size of perforations
				<u>1/8 X 6"</u>



