

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5619
 Rec. Dec. 12 1960
 Well No.
 Permit No.

Do not fill in

Owner DICK MAGEE Driller Carruthers Drilling Service
 Address AUSTIN, NEVADA Address Beowawe, Nevada Lic. No. 116
 Location of well: S.W. 1/4 N.W. 1/4 Sec. 1, T. 21 N/S, R. 46 E, in LANDER County
 or
 Water will be used for Domestic Total depth of well 60
 Size of drilled hole 12" Weight of casing per linear foot
 Thickness of casing 1/4" Temp. of water Cold
 Diameter and length of casing 12-3/4"
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure
 If nonflowing well give depth of standing water from surface 17 Ft.
 If flowing well describe control works
(Type and size of valve, etc.)
 Date of commencement of well October 6, 1960 Date of completion of well October 12, 1960
 Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	6	6	Surface Clay
6	12	6	Hard Sand
12	16	4	Sandy Clay
16	19	3	Clay
19	22	3	Sand (water)
22	32	10	Clay
32	44	12	Coarse Sand (water)
44	50	6	Conglomerate
50	56	6	Gravel (water)
56	58	2	Conglomerate
58	60	2	Gravel (water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 32 to 44 ft.
 Other aquifers 50-56
58 - 60
19 - 22
 First water at 19 feet.
 Casing perforated
 from 30 to 60 ft.
 Size of perforations
1/2" x 3"



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
12-3/4 OD	0	60	60	Casing landed on bottom

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed Carruthers Drilling Service
Well Driller

By [Signature]

License No. 116

Dated Nov 9, 1960

(Not to be filled in by Driller)

1960 DEC 12 AM 9 27

ENGINEER
OFFICE