

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 5693  
 Rec. 2-14 1961  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Glenn D. Kidd Driller \_\_\_\_\_  
 Address Box 152 Mc Dermitt Nev Address Same Humboldt Lic. No. 108  
 Location of well: NE 1/4 NW 1/4 Sec. 8, T47 N/S, R39 E, in \_\_\_\_\_ County  
 or Private Inheritance Mc Dermitt Indian Reserve  
 Water will be used for domestic Total depth of well 50 ft  
 Size of drilled hole 7/8 Weight of casing per linear foot 13 lbs  
 Thickness of casing 3/16 Temp. of water cold  
 Diameter and length of casing \_\_\_\_\_  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 12 ft  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well Dec 11 - 1960 Date of completion of well Dec 16 - 1960  
 Type of well rig Cheer drill

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Top soil
4	23	19	Boulders + gravel
23	31	8	sand & small gravel
31	36	5	cemented gravel & sand
36	50	14	rock

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 18 to 50 ft.

Other aquifers \_\_\_\_\_

First water at 18 feet.

Casing perforated

from 40 to 50 ft.

Size of perforations

1/8" x 4



