

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5796  
 Rec. MAR 27 1961  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Gerrn Todd Driller same  
 Address Box 152 McDermitt Address \_\_\_\_\_ Lic. No. 108

Location of well: NE 1/4 SW 1/4 Sec 7, T.47N/S, R39E, in \_\_\_\_\_ County  
 or Heiser/Bratcher assignment McDermitt Indian Reserve

Water will be used for domestic Total depth of well 56'

Size of drilled hole 7 1/2" Weight of casing per linear foot 13 lbs

Thickness of casing 3/16" Temp. of water cold

Diameter and length of casing 6" x 563'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. left

If nonflowing well give depth of standing water from surface \_\_\_\_\_

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well Feb 15-61 Date of completion of well Feb 19-61

Type of well rig Churndrill

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Gravelly top soil
3	16	13	Gravel boulders & sand
16	24	8	Gravel & sand
24	26	2	hard pan
26	35	9	gravel & sand
35	56	21	consolidated gravel & sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 26 to 56 ft.

Other aquifers \_\_\_\_\_

First water at 12 feet.

Casing perforated

from 46 to 56 ft.

Size of perforations

8 x 4



