

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5797
 Rec. MAR. 27 19 61
 Well No.
 Permit No.
Do not fill in

Owner Stewart Todd Driller

Address Box 152 McDermott Nev Address

Location of well: NW 1/4 NE 1/4 Sec. 13, T47N/S, R38E, in Stewart County
 or Ross Hardin's Assignment, Mc Dermott Indian Reserve

Water will be used for concrete Total depth of well 59'

Size of drilled hole 7 1/2" Weight of casing per linear foot 13 lbs

Thickness of casing 3/16 Temp. of water Cold

Diameter and length of casing 6" x 60'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....

If nonflowing well give depth of standing water from surface 4'

If flowing well describe control works.....
(Type and size of valve, etc.)

Date of commencement of well Feb 19-61 Date of completion of well Feb 23-61

Type of well rig @ Churchill

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	14	14	clay top soil
14	20	6	gravel boulders & sand
20	28	8	gravel & sand
28	35	7	cemented sand & gravel
35	47	12	small gravel & sand
47	59	12	cemented gravel & sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 35 to 59 ft.

Other aquifers.....

First water at 8 feet.

Casing perforated

from 47 to 59 ft.

Size of perforations

1/2 x 3



