

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

| |
|----------------------------------|
| Log No. <u>5814</u> |
| Rec. <u>April 6</u> 19 <u>61</u> |
| Well No. |
| Permit No. |

Do not fill in

Owner Lelon J. Altland Driller Tholke & Petersen

Address Sun Valley Nevada Address P.O. Box 663-Sparks Lic. No. 334

Location of well: NW 1/4 1/4 Sec 17, T20.N/S, R20.E, in Washoe County
or

Water will be used for domestic Total depth of well 122ft.

Size of drilled hole 6 5/8 Weight of casing per linear foot

Thickness of casing 3/16 Temp. of water cold

Diameter and length of casing 6 1/4
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 70'ft.

If flowing well describe control works

(Type and size of valve, etc.)

Date of commencement of well 2/5/61 Date of completion of well 2/7/61

Type of well rig cable tool drill

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|----------------|------------------|
| 0 | 2 | 2 | Top soil |
| 2 | 122 | 120 | D.G. |

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
from 70 ft. to 122 ft.ft.

Other aquifers water seams in D.G.

First water at 70 feet.

Casing perforated
from 65 to 120 ft.

Size of perforations
3/16 slits



