

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 5816  
 Rec. APRIL 10 19 61  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Frank Zudd Driller W. E. Blaine  
 Address Hardsville Nevada Address Box 255 Paradise City, Lic. No. 301  
 Location of well:  $\frac{1}{4}$   $\frac{1}{4}$  Sec. 30, T. 13 N/S, R. 20E, in Douglas County  
 or \_\_\_\_\_  
 Water will be used for Domestic Total depth of well 75 ft  
 Size of drilled hole \_\_\_\_\_ Weight of casing per linear foot 5.5 lbs  
 Thickness of casing 16 gage Temp. of water Cold  
 Diameter and length of casing 6" x 76 ft  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 16 ft  
 If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.) \_\_\_\_\_  
 Date of commencement of well 3-8-61 Date of completion of well 3-13-61  
 Type of well rig ~~2-5-61~~ Public Trust

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	7	7	soil
7	40	33	Sand & gravel
40	45	5	sandy clay
45	61	6	sand & gravel
61	63	2	sandy clay
63	72	9	gravel
72	75	3	hard clay

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 63 to 72 ft.

Other aquifers 7-40  
45-61

---

First water at 7 feet.

---

Casing perforated  
 from 56 to 76 ft.

---

Size of perforations  
5" x 5"



