

7/6.1

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 5869

Rec. May 15 1961

Well No. \_\_\_\_\_

Permit No. \_\_\_\_\_

*Do not fill in*

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner: Leaton Mathews

Driller: Donnell

Address: Lawrence Nevada

Address: Porter Nevada Lic. No. 30

Location of well: S.E. 1/4 NW 1/4 Sec. 20., T. 2. N/S, R. 8. E, in Lincoln County

or \_\_\_\_\_

Water will be used for Heat. Holes Total depth of well 85'

Size of drilled hole 12" Weight of casing per linear foot \_\_\_\_\_

Thickness of casing \_\_\_\_\_ Temp. of water \_\_\_\_\_

Diameter and length of casing 12" covered with gravel  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface. 29' 6"

If flowing well describe control works \_\_\_\_\_ (Type and size of valve, etc.)

Date of commencement of well May 5, 1961 Date of completion of well May 6, 1961

Type of well rig \_\_\_\_\_

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	47	47	sandy silt
47	55	8	sand
55	85	30	gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 55' to 85' ft.

Other aquifers \_\_\_\_\_

First water at 32' feet.

Casing perforated \_\_\_\_\_

from \_\_\_\_\_ to \_\_\_\_\_ ft.

Size of perforations \_\_\_\_\_



