

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY



Log No. 5890
 Rec. May 22 19 61
 Well No. _____
 Permit No. _____
Do not fill in

Owner Fred Turner Driller Reno Pump & Supply
 Address 4450 So. Virginia Reno, Nev. Address 7468 So. Virginia - Reno Lic. No. 295
 Location of well: SE 1/4 SE 1/4 Sec 36, T. 19 N/S, R. 19 E, in Washoe County
 or Crummer Lane and Sterne Circle - Reno, Nevada
 Water will be used for Domestic Total depth of well 176'
 Size of drilled hole 6" Weight of casing per linear foot _____
 Thickness of casing 12 Ga. Temp. of water Cold
 Diameter and length of casing 6" x 152'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 41'
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well 6/13/60 Date of completion of well 6/23/60
 Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	22	22	Gravel and clay
22	31	9	Sand, gravel, clay (Some water here)
31	105	74	Brown sandy clay
105	111	6	Sand, Gravel (Water Bearing)
111	127	16	Brown clay
127	132	5	Sand, Gravel (Water Bearing)
132	147	15	Clay
147	168	21	Sand, Gravel (Water Bearing)
168	176	8	Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 116 to 152 ft.

Other aquifers _____
See Log

First water at 22 feet.

Casing perforated
 from 116 to 152 ft.

Size of perforations
1/16" x 1"



