

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5891  
 Rec. MAY 22 1961  
 Well No. ....  
 Permit No. ....

*Do not fill in*

Owner Harry F. Scott Driller Reno Pump & Supply

Address P.O. Box 1783 - Reno, Nev. Address 7468 So. Virginia - Reno Lic. No. 295

Location of well: NE 1/4 SW 1/4 Sec. 35, T. 19 N/S, R. 2 E, in Washoe County

Water will be used for Domestic Total depth of well 50'

Size of drilled hole 8" Weight of casing per linear foot .....

Thickness of casing 10 Ga. Temp. of water Cold

Diameter and length of casing 8" x 50'  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure .....

If nonflowing well give depth of standing water from surface 12'

If flowing well describe control works .....

(Type and size of valve, etc.)

Date of commencement of well 7/15/60 Date of completion of well 7/18/60

Type of well rig Cable Tool

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	13	13	Dirt and rocks
13	27	14	Cemented gravel
27	31	4	Clay
31	50	19	Sand, gravel (Water Bearing)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 31 to 50 ft.

Other aquifers .....

First water at 31 feet.

Casing perforated from 28 to 50 ft.

Size of perforations

Torch perforated



