

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY



Log No. 5898
 Rec. MAY 22 1961
 Well No. _____
 Permit No. 19862
Do not fill in

Owner Eagle - Picher Co. Driller Reno Pump & Supply

Address P.O. Box 1869 Reno, Nev. Address 7468 So. Virginia - Reno Pic. No. 295

Location of well: SW 1/4 SW 1/4 Sec. 35, T20 N/S, R22 E, in Washoe County
 or Clark, Nevada (22 Miles East of Reno)

Water will be used for Industrial Total depth of well 150'

Size of drilled hole 10" Weight of casing per linear foot _____

Thickness of casing 12" 10 Ga. from 108' to 150'
10 Ga. to 108' Temp. of water Cold

Diameter and length of casing 10" x 150' - (10" to 108' and 8" from 108' to 150')
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 30'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 4/8/61 Date of completion of well 4/23/61

Type of well rig Gable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	28	28	Dirt and large boulders
28	46	18	Hard Pan
46	52	6	Gravel and Clay - some water
52	82	30	Clay, Brown
82	96	14	Gravel, Water Bearing, some Clay
96	100	4	Clay, Brown
100	104	4	Gravel, Water Bearing
104	122	18	Clay, Brown
122	126	4	Gravel, Water Bearing
126	135	9	Clay, Brown
135	137	2	Gravel, Water Bearing
137	150	13	Hard Pan

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from See Log to _____ ft.

Other aquifers _____
See Log

First water at 46 feet.

Casing perforated from 64 to 150 ft.

Size of perforations 1/8" x 1"

