

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5900
 Rec. May 22 1961
 Well No.
 Permit No.
Do not fill in

Owner Peter C. Ting Driller Reno Pump & Supply
 Address P.O. Box 170 Verdi, Nev. Address 7468 So. Virginia - Reno, Nev. No. 295
 Location of well: NE 1/4 SW 1/4 Sec. 26, T. 19 N/S, R. 18 E, in Washoe County
 or
 Water will be used for Domestic Total depth of well Deepen 6" Well to 98'
 Size of drilled hole 6" Weight of casing per linear foot
 Thickness of casing 12 Ga. Temp. of water Cold
 Diameter and length of casing 6" x 80'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure
 If nonflowing well give depth of standing water from surface 34'
 If flowing well describe control works
 (Type and size of valve, etc.)
 Date of commencement of well 12/12/60 Date of completion of well 12/16/60
 Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	36	36	Already dug to 36'
36	87	51	Hard pan
87	98	11	Sand, Gravel (Water Bearing)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 87 to 98 ft.

Other aquifers

First water at 87 feet.

Casing perforated from 74 to 98 ft.

Size of perforations 1/16" x 1"



