

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 0955  
 Rec. JUNE 26 19 61  
 Well No. ....  
 Permit No. ....  
*Do not fill in*

Owner Mary Griswall Driller Geo. Peterson

Address Sim Valley Address Box 663 Sparks Lic. No. 334

Location of well: 2 1/4 Sec. 19, T. 20N/S, R. 20E, in \_\_\_\_\_ County  
 or \_\_\_\_\_

Water will be used for domestic Total depth of well 100

Size of drilled hole 8" Weight of casing per linear foot 11.63

Thickness of casing 1.88 ga Temp. of water cold

Diameter and length of casing 6 5/8 100 ft  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. ....

If nonflowing well give depth of standing water from surface 25

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 5/13/61 Date of completion of well 5/14/61

Type of well rig salter tool drill

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	top soil
5	60	55	clay
60	90	30	shale
90	100	10	granite

#### Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 60 to 100 ft.

Other aquifers Water in

First water at 60 feet.

Casing perforated

from 50 to 100 ft.

Size of perforations

touch



