

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 5956
 Rec. WINE 29 1961
 Well No. _____
 Permit No. 18071
Do not fill in

Owner Nevada Fish & Game Commission Driller J. B. Reynolds

Address Reno, Address Fallon Lic. No. 8

Location of well: NE 1/4 SW 1/4 Sec. 20., T. 19. N/8, R. 29E, in Churchill County
 or Fallon Municipal Airport

Water will be used for domestic Total depth of well 100 ft.

Size of drilled hole 6" Weight of casing per linear foot 12 lb.

Thickness of casing .133 Temp. of water cold

Diameter and length of casing 6" x 100'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 25 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well Nov. 24, 1958 Date of completion of well Dec. 2, 1958

Type of well rig cable tool 24" L.B.S.

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	8	8	sand	Chief aquifer (water-bearing formation) from <u>85</u> to <u>100</u> ft.
8	16	8	clay	
16	28	12	sand	Other aquifers <u>33-50</u>
28	33	5	clay	
33	50	13	sand	First water at <u>25</u> feet. Casing perforated from <u>90</u> to <u>100</u> ft. Size of perforations <u>1/4 x 4"</u>
50	80	30	thin layers of black clay and blue sand (sulphur)	
80	85	5	clay	
85	100	--	coarse brown sand	



duplicate of 5956
**WELL LOG AND REPORT TO THE STATE
 ENGINEER OF NEVADA**

Log No. 5929
 Rec. JUNE 15 1961
 Well No. _____
 Permit No. 18071

Do not fill in

Owner Nevada Fish & Game Commission Driller J. B. Reynolds
 Address Reno, Address Fallon Lic. No. 28
 Location of well: SE 1/4 NW 1/4 Sec. 20, T. 17 N/8, R. 29 E, in Churchill County
 or Fallon Municipal Airport
 Water will be used for domestic Total depth of well 100 ft.
 Size of drilled hole 6" Weight of casing per linear foot 12 lb.
 Thickness of casing .188 Temp. of water cold
 Diameter and length of casing 6" x 100'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 25 ft.
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well Nov. 24, 1958 Date of completion of well Dec 2, 1958
 Type of well rig cable tool 24-L B.E.

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	8	8	sand	Chief aquifer (water-bearing formation) from <u>85</u> to <u>100</u> ft.
8	16	8	clay	
16	28	12	sand	Other aquifers <u>33-50</u>
28	33	5	clay	
33	50	13	sand	First water at <u>25</u> feet.
50	80	30	thin layers of black clay and blue sand (sulphur)	
80	85	5	clay	
85	100	--	coarse brown sand	Casing perforated from <u>90</u> to <u>100</u> ft.
				Size of perforations <u>1/4" x 4"</u>



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed.....
Well Driller

By.....

License No.....

Dated....., 19.....

(Not to be filled in by Driller)

1964 JUN 15 AM 9 25

STATE ENGINEER
OFFICE