

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 5992
 Rec. July 10 1961
 Well No. _____
 Permit No. _____
Do not fill in

Owner Glen Stewart Driller Smith Drilling Co.
 Address P.O. Box 86, Steamboat, Nevada Address 195 E. Sixth Ave. Lic. No. 208
 Location of well: ~~1/4~~ SW ³¹/₄ Sec 32, T17N/S, R20E, in Lashoe County
 or Commercial Section of New Lashoe City
 Water will be used for Domestic Total depth of well 115
 Size of drilled hole 6 inch Weight of casing per linear foot 14
 Thickness of casing 188 Temp. of water _____
 Diameter and length of casing 6" I.D. Cased to 115 Bottom
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 53 ft. Static
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well Jan. 25, 1961 Date of completion of well Feb. 3, 1961
 Type of well rig Cable Tool 22 W.

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	Loose Sand
8	12	4	Large Boulders
12	21	9	Sandy Clay
21	26	5	Clay and Gravel
26	40	14	Brown Clay and Sand
40	57	17	Clay and Rock
57	65	8	Tight Gravel
65	104	39	Sand Stone
104	114	10	Sand and water
114	115	1	Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 104 to 115 ft.

Other aquifers _____

57 to 65 _____

First water at 57 feet.

Casing perforated

from 80 to 115 ft.

Size of perforations

1/8 x 6 - 4 rows



