

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 6103  
 Rec. Aug. 30 1961  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner J. B. Reynolds Driller J. B. Reynolds Do not fill in

Address P.O. Box 221 Wells Nev Address Waller Lic. No. 28

Location of well: N. 22. 1/4, Sec. 15, T. 37 N/S, R. 6 E. in Elko County

or one half mile south of Waller

Water will be used for Domestic Total depth of well 102

Size of drilled hole 8" light in Weight of casing per linear foot \_\_\_\_\_

Thickness of casing .219 Temp. of water Cold

Diameter and length of casing 8" I.D. X 102  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 17' surface ft.

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well June 16-61 Date of completion of well June 18-61

Type of well rig Cable tools

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	14	14	Silt & top soil
14	38	24	Hard white clay, water sup.
38	64	26	Gray clay
38	102	38	Brown sandstone water bearing.

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 64 to 102 ft.

Other aquifers 38 to 41

First water at 38 feet.

Casing perforated

from 78 to 97 ft.

Size of perforations

Torch splits  
1/4" X 2"