

Basin # 108 42

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6130  
 Rec. SEPT. 22 1961  
 Well No. \_\_\_\_\_  
 Permit No. 18409  
*Do not fill in*

Owner The Anaconda Company Driller The Anaconda Company

Address Weed Heights, Nevada Address \_\_\_\_\_ Lic. No. \_\_\_\_\_

Location of well: NE 1/4 NE 1/4 Sec 8, T. 13 N/S, R. 25 E, in Lyon County  
 or \_\_\_\_\_

Water will be used for Mining, Milling and Domestic Total depth of well 270'

Size of drilled hole 20" to 80'; 18" to 270' Weight of casing per linear foot 20" - 54#; 18" - 47#

Thickness of casing 1/4" Temp. of water \_\_\_\_\_

Diameter and length of casing 20" - 80'; 18" - 270'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 6' - 6"

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well May 13, 1959 Date of completion of well May 28, 1959

Type of well rig Bucyrus - Erie 42T

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	220	220	Alluvium
220	270	50	Bedrock

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)  
 from 100 to 270 ft.

Other aquifers \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

First water at \_\_\_\_\_ feet.

Casing perforated  
 from 100 to 270 ft.

Size of perforations  
1/4" x 10"



