

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 6131
 Rec. SEPT. 21 1961
 Well No. _____
 Permit No. _____

Do not fill in

Owner Gamble Ranch Development Co. Driller Boley, Henry, Weech
9412 Wilshire Blvd.
 Address Beverly Hills, Calif. Address Mountain, Idaho Lic. No. 240
 Location of well: SW 1/4 NE 1/4 Sec. 1, T. 37 N, R. 6 E, in Elko County

Water will be used for Irrigation Total depth of well 350'

Size of drilled hole 16" Weight of casing per linear foot 47 lbs

Thickness of casing 1/4" S.W. Temp. of water 58°

Diameter and length of casing 16" O.D. length 350'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure NONE

If nonflowing well give depth of standing water from surface 149'

If flowing well describe control works NONE
(Type and size of valve, etc.)

Date of commencement of well 24 July, 1961 Date of completion of well 3 Sept 1961

Type of well rig Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Dirt
4	165	161	Gravel + boulders
165	170	5	Gravel
170	247	77	Coarse gravel, clay, and ^{sand}
247	268	21	fine Gravel + sandy clay
268	305	37	Sandy silt + some Gravel
305	350	45	Gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 167 to 169 ft.

Other aquifers 153 - 155

First water at 153 feet.

Casing perforated from 150 to 350 ft.

Size of perforations

1/2" x 3"

